

## Things to remember in the last hour before the exam: Level 2 Reactivity

(This is not a revision sheet – you've done that by now – it's a list of things you might want to remind yourself about ...)

### RATES

1. Rates of reaction: rate is an amount/time so talk about more or less collisions/time or collisions/unit time or collisions/second. / means PER! It's acceptable to write about particles colliding more frequently – but don't say colliding more or more often.
2. Rates of reaction: rates of reactions increase or decrease, they don't really get faster / quicker or slower (although you will see this written).
3. Rates of reaction: an increase in temperature means more collisions/time as the particles are moving faster (more  $E_k$ ) AND more of the collisions are effective collisions since now more particles have energy greater or equal to the activation energy. DON'T talk about "the particles having more activation energy" – this is just so WRONG!
4. When explaining the effect of concentration, talk about more (or less) particles/volume leading to more (or less) collisions/time.
5. When explaining surface area, there are more particles immediately exposed/available for collision.....try and avoid "more chance" of collision; there are just more collisions/time because.....
6. Catalysts don't effect equilibrium position. Catalysts lower  $E_a$  for a reaction so more of the collisions/s are effective collisions since now more particles have energy greater or equal to the activation energy.

### pH CALCULATIONS

7. pH: Equations in Resource booklet  $\text{pH} = -\log [\text{H}_3\text{O}^+]$  and  $[\text{H}_3\text{O}^+] = 10^{-\text{pH}}$ . Learn how to input these into your calculator.
8. pH has no units!!! Concentration has the units  $\text{mol L}^{-1}$ . Give answers to 3 s.f.
9. Take care entering numbers e.g.  $1.45 \times 10^{-3}$  is entered as 1 . 4 5 EXP (-) 3 in most calculators!
10. pH:  $K_w$  (ionic product for water) =  $10^{-14} = [\text{H}_3\text{O}^+][\text{OH}^-]$ . If you put it in a triangle  $10^{-14}$  is always on top.
11. Significant figures – invariably 3 in Chemistry – but watch these! Zero before is NOT significant, zero in middle and after is e.g. 0.023 (just 2 sf) but 0.309 and 1.40 (3 sf)

### ACIDS & BASES

12. Strong acid or base? Use a  $\rightarrow$ ; Weak acid or base? Use a  $\rightleftharpoons$  symbol, in any equation you write.
13. Learn the common strong acids ( $\text{HCl}$ ,  $\text{HNO}_3$  and  $\text{H}_2\text{SO}_4$ ) and strong bases ( $\text{NaOH}$ ,  $\text{KOH}$ ).
14. Learn the common weak acids (Any carboxylic acid  $\text{RCOOH}$ ) and weak bases ( $\text{NH}_3$ ,  $\text{RNH}_2$  (amines)).
15. Any 'unfamiliar' weak acids or bases, you will be told. E.g. "HCN is a weak acid...." Use  $+ \text{H}_2\text{O} \rightleftharpoons \dots$
16. For a strong acid  $[\text{H}_3\text{O}^+] = \text{conc. of the acid}$ ; For a strong base  $[\text{OH}^-] = \text{conc. of the alkali}$ .

17. Write + H<sub>2</sub>O in equations for strong and weak acids and weak bases BUT not for strong bases where you only need NaOH(s) → Na<sup>+</sup>(aq) + OH<sup>-</sup>(aq)
18. If -log[acid] does NOT equal the pH it's because the acid was a weak acid and the reaction with water was incomplete. E.g. an acid, HA, of concentration 0.100 mol L<sup>-1</sup> will only be pH 1.00 if it is strong i.e. HA + H<sub>2</sub>O → H<sub>3</sub>O<sup>+</sup> + A<sup>-</sup>. (Likewise for bases when considering [OH<sup>-</sup>] and pH).
19. pH of salt solutions e.g. RCOONa or NH<sub>4</sub>Cl or Na<sub>2</sub>CO<sub>3</sub>. Write TWO equations. #1 = dissolving (break into the ions; use →, and don't include + H<sub>2</sub>O. #2 = reaction with water (as proton donor or acceptor; use ... + H<sub>2</sub>O ⇌. Explain final pH by [H<sub>3</sub>O<sup>+</sup>] > or < [OH<sup>-</sup>] as appropriate. (Hint: Ion in #2 is NEVER Na<sup>+</sup> or Cl<sup>-</sup>).
20. When explaining the good or poor electrical conductivity of a strong acid/base compared to a weak acid/base, it is the total number of ions that is important (not just H<sub>3</sub>O<sup>+</sup> or OH<sup>-</sup>).
21. Salt solutions are GOOD conductors always as there is high conc. of ions when the salts dissolve in water. E.g. NaCl(s) → Na<sup>+</sup>(aq) + Cl<sup>-</sup>(aq)

## EQUILIBRA

22. When asked to use equilibrium principles... "the equilibrium will shift/move to minimise / the reaction will be favoured that minimises... the change (stress) placed on the system". This is Generic – good for A. For M/E relate it to the imposed change and the species in the equation.
23. In a thermochemical; equation, to work out if the forward reaction is exothermic or endothermic, the forward reaction (L → R) matches the ΔH term written after the equation.
24. Equilibrium expression: This means the equation that equals K<sub>c</sub>. [ ] means concentration – make them [ ] and NOT ( ). Remember [products] / [reactants], AND no "+" signs in it, and any balancing number in front becomes power e.g. 2NH<sub>3</sub> becomes [NH<sub>3</sub>]<sup>2</sup>.
25. Size of K<sub>c</sub>. K<sub>c</sub> > 1 = more products. K<sub>c</sub> < 1 = more reactants.
26. In an equilibrium, an increase in temperature favours the endothermic reaction... because this reaction absorbs heat energy to counteract the imposed change (& so a dec. favours exo reaction as this reaction releases heat energy).
27. In an equilibrium, an increase in volume = decrease in pressure and vice versa. Talk about mol of GAS on each side of the ⇌.