


atomic structure



Atomic Structure

Nucleus – contains protons (+) & neutrons (0).
Electrons (-) arranged in energy levels or shells.
1st level holds up to 2, 2nd up to 8, & 3rd up to 8 electrons.

How electrons are arranged is called the “electron configuration” or “electron arrangement”.

metal + oxygen →

metal + water →



General equations (1)

metal + oxygen → metal oxide

eg magnesium + oxygen → magnesium oxide

metal* + water → metal hydroxide + hydrogen

eg sodium + water → sodium hydroxide + hydrogen

*reactive metals like K, Na, Li and Ca with water, and less reactive Mg and Zn (with steam)

carbonate + acid →

hydrogen carbonate + acid →

General equations (3)

carbonate + acid → salt + water + carbon dioxide



Hydrogen carbonate + acid → salt + water + carbon dioxide



bases / alkalis

A base is a chemical opposite of an acid.

A base that dissolves in water is called an *alkali*.

Bases & Alkalis

Alkaline solutions have a pH > 7 and contain the **hydroxide ion OH⁻**

The higher the pH the stronger the alkali is. A weak alkali, ammonia, is normally pH 10-11. A strong alkali, sodium hydroxide, is pH 13-14.

ZnO, CaO and Cu(OH)₂ are bases. They are insoluble in water but they will neutralise acids.

pH scale

The pH scale is a measure of the relative acidity or alkalinity of a solution



Colours with UI solution (approx)

pH scale

A number scale from 0 – 14 that measures how acid or alkaline a substance is.

pH 0-2 strong acid (eg HCl), pH 3-6 weak acid (eg vinegar)

pH 7 neutral (eg water)

pH 8-11 weak alkali (eg NaHCO₃ or NH₃), pH 12-14 strong alkali (eg NaOH)

neutralisation reactions



Neutralisation

Neutralisation means cancelling out the acidity of an acid with an alkali (or cancelling out the alkalinity of an alkali with an acid). pH 7 is neutral.

Alkaline lime (calcium oxide) is put on soil that is too acid for healthy plant growth. Antacid indigestion tablets are weak alkalis that neutralise excess stomach acid.

uses of metals



Uses of metals

May depend upon the chemical (c) and/or physical (p) properties of the metal.

Eg aluminium – aircraft industry – as low density (p) & aluminium oxide layer makes it unreactive (c)

Eg copper – water pipes – because it is malleable (p) and can be made into pipe shapes but is unreactive with hot and cold water and dilute acids (c)

rusting




Rusting

Iron (Fe) is the only metal that rusts. Rust is “hydrated iron(III) oxide”.

Rusting is a form of corrosion. Rusting is also the oxidation of iron.

For rusting to occur, need *iron*, *water* and *oxygen*. Salt solution and pollution in the air will accelerate rusting.

reactivity of metals



Reactivity of metals

Reactivity series

most - Na Mg Al Zn Fe Pb Cu - least

Aluminium does not appear as reactive as it really is because of its protective coat of aluminium oxide.

Cu will not react at all with dilute sulfuric or hydrochloric acid.

chemical properties of metals



Chemical properties of metals

Chemical properties mean how the metals react with other substances.

In this Achievement Standard you must know about their reaction with oxygen, water & dilute acids (HCl & H₂SO₄)



acids

Acids

Substances with pH less than 7


Taste sour.

Are corrosive

Contain the **hydrogen ion H⁺**

Sulfuric acid **H₂SO₄** Hydrochloric acid **HCl**

ions



Ions

Formed when atoms lose or gain electrons to achieve a full valence shell (a stable arrangement)

Metals form + ions (cations) and Non metals form - ions (anions)

Eg Na atom (2.8.1) Na⁺ ion (2.8)

O atom (2.6) O²⁻ ion (2.8)

acid + metal →

acid + base →

General equations (2)

Acid + metal → salt + hydrogen

Acid + base → salt + water

With sulfuric acid the salt is a metal sulfate; with hydrochloric acid the salt is a metal chloride.

Eg. Mg + H₂SO₄ → MgSO₄ + H₂

testing for hydrogen gas



Testing for hydrogen gas

Trap the gas in the tube with a thumb.

Bring a LIT splint to the mouth of the tube.

The H₂ gas ignites and burns with a squeaky pop.

(Don't say "the splint pops" or "do the pop test"!)

mass number

27

Al

13

atomic number

Mass and atomic number

27

Al

13

Mass number = number of protons PLUS number of neutrons. Atomic number = number of protons. Al has 13 protons & 14 neutrons.

physical properties of metals

Malleable



Ductile



Physical properties of metals

Malleable Ductile Most are dense
Most have high melting and boiling points

Have lustre Good conductors of heat

Good conductors of electricity

Some magnetic eg Fe Many are strong & hard

indicators



Colours with UI solution (approx)

Indicators

Used to decide if a substance is acidic, neutral or alkaline

Red Litmus: stays red in acid, turns blue in alkali

Blue Litmus: turns red in acid, stays blue in alkali

No colour change in neutral solutions

UI – has a range of colours from red to purple depending upon the pH

metal oxides and metal hydroxides



Metal oxides and metal hydroxides

Are bases – (All alkalis are bases but not all bases are alkalis!!)

Bases

CuO Cu(OH)₂
ZnO Al(OH)₃
MgO

Alkalis

NaOH
NH₃


test for carbon dioxide gas



Testing for carbon dioxide

Bubble the gas through a small quantity of lime water solution (calcium hydroxide solution).

If the gas is CO₂ then the lime water will go cloudy.



chemical formulae



Chemical formulae

ZnSO₄ H₂O NaHCO₃ Cu(OH)₂ Al₂O₃

Learn some (H₂SO₄, HCl, H₂O and CO₂). Work the rest out from the table of ions. Be able to name groups OH⁻ hydroxide, HCO₃⁻ hydrogen carbonate, NO₃⁻ nitrate, SO₄²⁻ sulfate



Remember + and – charge must be equal when putting ions together to write a formula

balancing equations




Balancing equations

A balanced equation has the same number of atoms on each side of the \rightarrow . You can only balance equations by adding numbers in front of formulae and NEVER by changing the formula of a substance.



metals

(white)



Metals


(white)

Most elements are metals. 88 elements to the left and middle of the PT and left of the "stair step line" are metals or metal like elements. NB – only a portion of the periodic table is shown here.

Elements on both sides of the zigzag line have properties of both metals and non-metals. These elements are called metalloids or semimetals eg silicon Si.

non-metals

(shaded grey)



Non metals

(shaded grey)

Most are dull, brittle (eg S), poor conductors of heat/electricity, low mpt and bpt – many are gases @ room temperature (eg Cl_2 , H_2 , O_2 , He).

Exceptions – C (graphite conducts electricity) & Si (semiconductor). C (diamond) has a high mpt & bpt

iron & zinc

Fe Iron
Atomic Number: 26
Atomic Mass: 55.85

Zn Zinc
Atomic Number: 30
Atomic Mass: 65.39

iron Fe

Shiny grey metal, magnetic. High mpt and bpt. Strong (as alloy). Used in many structures.

Only metal that RUSTS.

zinc Zn

Pale bluish grey metal

Coating thin layers of zinc onto iron is galvanising and protects iron from corrosion

aluminium

Al Aluminium
Atomic Number: 13
Atomic Mass: 26.98

aluminium Al

Silvery metal - strong as alloy. Uses: aircraft (low density); drinks cans (low density & non toxic); window frames (unreactive); overhead cables (unreactive & good electrical conductor)

Aluminium is actually much more reactive than it appears because it has *already reacted with oxygen* and formed a *protective layer of aluminium oxide* which covers its surface.

copper & sodium

Cu Copper
Atomic Number: 29
Atomic Mass: 63.55

Na Sodium
Atomic Number: 11
Atomic Mass: 22.99

copper Cu

hard pinkish orange metal, unreactive with water & dil. acids

Good conductor of heat (pan bottoms) and electricity (cables/wiring)

sodium Na

soft silvery grey metal – can cut with knife & floats on water, very reactive

Stored in oil to keep away from air & moisture

carbonates & hydrogen carbonates



Carbonates & hydrogen carbonates

carbonate + acid → salt + water + carbon dioxide

hydrogen carbonate + acid → salt + water + CO₂

The visible sign of these reactions is bubbles – fizz – due to the release of CO₂ gas.

Baking soda is used with sour milk (acidic) for raising action in baking. Acidic milk reacts with the NaHCO₃ to form carbon dioxide gas to give the rising action.

H		
Li	Be	
Na	Mg	
K	Ca	Sc
Rb	Sr	Y
Cs	Ba	La
Fr	Ra	Ac

groups in the Periodic Table of elements

Groups

A group is vertical column in the Periodic Table.


There are 18 groups. Elements in a group have similar configurations of the outermost electron shells of their atoms.

Eg Li, Na, K (in group 1) all have 1 electron in their valence shell. F, Cl and Br (group 17) all have 7 electrons in their valence shell.


periods in the periodic table

1	2	13	14	15	16	17	18
H							He
Li	Be	B	C	N	O	F	Ne
Na	Mg	Al	Si	P	S	Cl	Ar
K	Ca	Ga	Ge	As	Se	Br	Kr
Rb	Sr	In	Sn	Sb	Te	I	Xe

Periods




A period is a horizontal row in the Periodic Table. Across a period the change is from metal to non metal. Period 1 has 2 elements; Periods 2 & 3 have 8, Period 4 has 18. * is in Group 16, Period 3.



elements, compounds and mixtures


Element

only one type of atom.



Compound

two or more elements chemically combined (in a fixed ratio).



Mixture

no fixed proportions – is a mix of elements OR mix of compounds OR mix of elements and compounds.


Suggestions

Print! Colour is nice but B&W is fine.


Decorate – colour is important to your learning and remembering.

Make into revision cards by folding down the middle vertical line, gluing and cutting.

A set of blank “backs” is provided for you to make your own notes – or to reduce these to “absolute basics”

<p style="text-align: center;">pH scale</p> <p>The pH scale is a measure of the relative acidity or alkalinity of a solution</p>  <p style="text-align: center;">Colours with UI solution (approx)</p>	<p style="text-align: center;"><u>pH</u></p> <p style="text-align: center;"><i>how acid/alkali</i></p> <p style="text-align: center;">0 - 14</p> <p style="text-align: center;">0-6 = acid 7 = neutral 8-14 = alkali</p> <p style="text-align: center;"><u>HCl</u> vinegar</p> <p style="text-align: center;">water</p> <p style="text-align: center;"><u>NaHCO₃</u> <u>NH₃</u> <u>NaOH</u></p>
--	---

atomic
structure



metal + oxygen →

metal + water →



carbonate + acid →

hydrogen carbonate + acid →

bases / alkalis

A base is a chemical opposite of an acid.

A base that dissolves in water is called an *alkali*.

pH scale

The pH scale is a measure of the relative acidity or alkalinity of a solution



Colours with UI solution (approx)

neutralisation reactions




uses of metals



rusting



reactivity of metals




chemical properties of metals





acids

ions



acid + metal \rightarrow

acid + base \rightarrow

testing for
hydrogen gas



mass number

27

Al

13

atomic number

physical properties of metals

Malleable



ductile

indicators



Colours with UI solution (approx)

metal oxides and metal hydroxides



test for carbon dioxide gas



chemical formulae




balancing equations




metals

(white)



non-metals

(shaded grey)



iron & zinc



Fe Iron
Atomic Number: 26
Atomic Mass: 55.85

Zn Zinc
Atomic Number: 30
Atomic Mass: 65.39

aluminium

Al Aluminium
Atomic Number: 13
Atomic Mass: 26.98

copper & sodium



carbonates & hydrogen carbonates



H		
Li	Be	
Na	Mg	
K	Ca	Sc
Rb	Sr	Y
Cs	Ba	La
Fr	Ra	Ac

groups in the Periodic Table of elements

periods in the periodic table

	1	2		13	14	15	16	17	18	
	H								He	
	Li	Be		B	C	N	O	F	Ne	
	Na	Mg		Al	Si	P	S	Cl	Ar	
	K	Ca		Ga	Ge	As	Se	Br	Kr	
	Rb	Sr		In	Sn	Sb	Te	I	Xe	

