91164





Tick this box if there is no writing in this booklet

Level 2 Chemistry 2020

91164 Demonstrate understanding of bonding, structure, properties and energy changes

9.30 a.m. Thursday 26 November 2020 Credits: Five

Achievement	Achievement with Merit	Achievement with Excellence
Demonstrate understanding of bonding, structure, properties and energy	Demonstrate in-depth understanding of bonding, structure, properties and	Demonstrate comprehensive understanding of bonding, structure,
changes.	energy changes.	properties and energy changes.

Check that the National Student Number (NSN) on your admission slip is the same as the number at the top of this page.

You should attempt ALL the questions in this booklet.

A periodic table is provided in the Resource Booklet L2–CHEMR.

If you need more room for any answer, use the extra space provided at the back of this booklet and clearly number the question.

Check that this booklet has pages 2–12 in the correct order and that none of these pages is blank.

YOU MUST HAND THIS BOOKLET TO THE SUPERVISOR AT THE END OF THE EXAMINATION.

TOTAL

QUESTION ONE

ASSESSOR'S USE ONLY

(a) Complete the following table for the given substances in their solid state.

Solid	Type of solid	Type of particle	Attractive forces between the particles
Silicon dioxide $SiO_2(s)$			
Chlorine Cl ₂ (s)			
Potassium chloride KCl(s)			

(b) The electrical conductivity of silicon dioxide and potassium chloride in different states is given below.

Substance	Conducts electricity when solid	Conducts electricity when molten
Silicon dioxide, SiO ₂	No	No
Potassium chloride, KCl	No	Yes

Use your knowledge of structure and bonding to explain these observations.		

to substances in water. Sous should include a diagram in your answer to illustrate the dissolving of KCl(s) in water.	lse vour knowledge of	structure and handing to explain the difference in colubility of these	
ou should include a diagram in your answer to illustrate the dissolving of KCl(s) in water.	Use your knowledge of structure and bonding to explain the difference in solubility of these two substances in water. You should include a diagram in your answer to illustrate the dissolving of KCl(s) in water.		

QUESTION TWO

ASSESSOR'S USE ONLY

(a) Draw the Lewis structure for each of the following molecules and name their shapes.

Molecule	CS ₂	NOCI	CH_2F_2
Lewis structure			
Name of shape			

(b) CH₂O and NF₃ have the same number of atoms in their formulae, but have different shapes and bond angles.

Molecule	CH ₂ O	NF ₃
Lewis structure H		:
Shape	Trigonal planar	Trigonal pyramid
Bond angle 120°		109.5°

Justify the shapes and bond angles of $\mathrm{CH_2O}$ and $\mathrm{NF_3}$.

	olecular compound consists of two different elements, X and Z , and contains three atoms. ormula is ZX_2 . The elements have different electronegativities.
Dep	ending on the identity of the elements, the molecule could be either polar or non-polar.
(i)	State the likely shape if the molecule is:
	Polar:
	Non-polar:
(ii)	Justify your answer by explaining the factors that affect polarity.
	You do not need to identify elements X or Z, or specific molecules.

	dioxide, $SO_2(g)$, can be made by burning sulfur, $S(s)$, in an excess of oxygen, $O_2(g)$.
,	$S(s) + O_2(g) \rightarrow SO_2(g)$ $\Delta_r H = -296 \text{ kJ mol}^{-1}$
alcu	late the mass of sulfur burned when 740 kJ of energy is released.
	$M(S) = 32.1 \text{ g mol}^{-1}$


(a) Octane, $C_8H_{18}(\ell)$, is used as a fuel.

The equation for the complete combustion of octane is shown below.

$$2C_8H_{18}(\ell) + 25O_2(g) \rightarrow 16CO_2(g) + 18H_2O(g)$$
 $\Delta_r H = -11018 \text{ kJ mol}^{-1}$

(i) Classify this reaction as endothermic or exothermic, with a reason.

(ii) Complete, including labels, the energy diagram for the combustion of octane showing reactants, products, and the change in enthalpy.



(b) Ethanol, $CH_3CH_2OH(\ell)$, is a liquid at room temperature with a boiling point of 78.4 °C.

Explain whether the change of ethanol from liquid to gas is an endothermic or exothermic process by referring to the attractive forces between particles.

$$C_2H_4(g) + CI_2(g) \rightarrow C_2H_4 CI_2(g) \Delta_r H = -148 \text{ kJ mol}^{-1}$$

Calculate the bond enthalpy of the C-Cl bond using the data below.

H_{\setminus} $_{/}H$	
C = C	CI-CI
H′ \H	
н н	
CI-C-C-CI	

Bond	Average bond enthalpy/kJ mol ⁻¹
C - C	346
C – H	414
C = C	614
C1 – C1	242

(d)	Ethanol can be burned as a fuel. The equation for its complete combustion is shown below. $CH_3CH_2OH(\ell) + 3O_2(g) \to 2CO_2(g) + 3H_2O(g)$	ASSESSOR'S USE ONLY
	When 1.50 kg of ethanol is burned completely, it releases 40 600 kJ of energy.	
	Use this information to determine the enthalpy, $\Delta_r H$, in kJ mol ⁻¹ for this reaction. $M(\text{CH}_3\text{CH}_2\text{OH}) = 46.0 \text{ g mol}^{-1}$	
		-
		-
		-
		-
		-
		-
		-
		-
		-
		_

	Extra paper if required.		ASSESSOR'S
QUESTION NUMBER	Write the question number(s) if ap	oplicable.	USE ONLY
NUMBER			

	Extra paper if required.	ASSESSOR USE ONLY	SESSOR'S
QUESTION NUMBER	Write the question number(s) if applicable.	USE ONLY	
NUMBER		-	

ASSESSOR'S USE ONLY

QUESTION	Extra paper if required. Write the question number(s) if applicable.	
QUESTION NUMBER		